Nëwhëëk

# Newheek NK202X Type Collimator For X-Ray Machine

Web : <u>www.xraycollimator.com</u> Email : service@newheek.com Tel : +86 536 8882360

Nënhëëk

# Newheek NK202X Type Collimator For X-Ray Machine

### **Product Application**

NK202X is a X-ray collimator with continuously adjustable radiation field, which is used on X-ray tube for medical diagnostic with a voltage lower than 150 kV. It is widely used on different x-ray equipment, such as radiography or fluoroscopy x-ray machine.

It mainly used on portable x ray or mobile x ray machine.

It also can be used on normal radiography x-ray machine.

### Product Diagram



Nëwhëëk

---- Type NK202X





### Weifang Newheek Electronic Tech Co., Ltd.

Add:No. 1 Factory Building of No.13426 of Yuqing East Street, Weifang, Shandong, China.Website:www.xraycollimator.comTel: 86 536 8882360Email: service@newheek.com

Nëwhëëk

---- Type NK202X





### Weifang Newheek Electronic Tech Co., Ltd.

Add:No. 1 Factory Building of No.13426 of Yuqing East Street, Weifang, Shandong, China.Website:www.xraycollimator.comTel: 86 536 8882360Email: service@newheek.com

Nëwhëëk

---- Type NK202X

## **Technical Features**

Max Irradation Field	440mmx440mm (SID=100cm)
Light Field Average Luminance	>160lux
Lumination Ratio	>4:1
Lamp	24V/150W
Lamp Single Lighting Time	30S
X-Ray Tube Focus-Mounting Serface Distance mm (it can be adjusted according to requirement)	60
Shielding Leaves	2 Layer
Fixed Filtration (75kV)	1mmAL
Additional Filtration (Option)	External, Self Option
Leave Driving Method	Manual
Leave Driving Motor	None
Motor Control Method	None
Leave Position Check	None
Input Power	AC24V
SID Measurement Band Tape	Standard
Center Laser Index	Option
Outlook Dimension (WLH) mm	185×198×145
Weight (Kg、not include cable)	6.8
Leave Aperture Display	Knob Pointer Scale

Nëwhëëk

---- Type NK202X

### About Packing

- \* Packing for Collimator
- \* Waterproof and shockproof Carton
- \* Carton Size: 295\*260\*295mm
- \* Gross Weight: 9.2KG, Net Weight: 6.8KG

### About Delivery

- \* 1-5 Pieces, within 3 days after receiving the payment
- \* 6-10 Pieces, within 5 days after receiving the payment
- \*11-50 Pieces, within 15 days after receiving the payment
- \* 51-100 Pieces, within 20 days after receiving the payment

#### Our Service

Original manufacturer of x- ray machine accessories for more than 16 years.

- $\sqrt{\text{Customers could find all kinds of x-ray machine parts here.}}$
- $\sqrt{\text{Offer on line technological support.}}$
- $\sqrt{\text{Promise super product quality with best price and service.}}$
- $\sqrt{\text{Support the third part inspection before delivery.}}$
- $\sqrt{}$  Ensure the shortest delivery time.

Nënhëëk

---- Type NK202X

### Contact us

Email : service@newheek.com

Hot Line: +86 536 8882360



#### 1. What is NK202X collimator application?

NK202X collimator is mainly used on mobile x ray and stationary x ray with x ray tube 150kv.

#### 2. Is it manual?

Yes, it is the manual collimator.

#### 3. what kind of x ray tube it can match?

It can match most of famous brand x ray tube and models.

#### 4. what is it max irradiation?

Its max irradiation field is 440mmx440mm.

Nënhëëk

---- Type NK202X

#### Certificate

EMC

**Certificate of Conformity** 

Certificate Numb	er: B-E16059925	Beide
EMC Directive 20	14/30/EU	Compliance Laboratory
Holder:	Weifang Newheek Electronic Techno	blogy Co., Ltd
Address	The North 2nd Floor of No.1 Factory Yuqing East Street, Hi-Tech Industry Weifang, Shandong, China	· · · · · · · · · · · · · · · · · · ·
Manufacturer:	Same As Holder	
Product:	X Ray Collimator	
Model:	NK-1XS, NK102, NK103, NK202X, N NK303, NK305, NKM202, NKF202, N NKF202AFL, NKM301, NKF301, NK	NKF202CL, NKF202AF,
Technical Data:	DC 24V	

The submitted products have been tested by us with the following standard(s) and found to be in compliance with the listed European Directives.

> EN 61000-6-3:2007+A1:2011; EN 61000-6-1:2007

The test results apply only to the particular sample tested and to the specific tests carried out. Technical Report and documentation are at the Holder's disposal.

This certificate applies specifically to the sample investigated in our test reference number only. The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation. Other relevant Directives have to be observed.

CF Certification Manager Date: Jun. 13, 2016





#### Beide (UK) Product Service Limited

U.K.: Flat 107, 25 Indescon Square, London, United Kingdom China: 6F, Bldg E, Hourui 3rd Ind Zone, Xixiang, Bao'an Dist, Shenzhen, China Http://www.szbeide.com E-mail:admin@szbeide.com



---- Type NK202X

#### Certificate

ROHS

Certificate Number: B-R16059926

**Certificate of Conforn** 

RoHS Directive 2	2011/65/EU Beide Compliance Laboratory
Holder	Weifang Newheek Electronic Technology Co., Ltd
Address	The North 2nd Floor of No.1 Factory Building of No.13426 Yuqing East Street, Hi-Tech Industry Development Zone, Weifang, Shandong, China
Manufacturer:	Same As Holder
Product:	X Ray Collimator
Model No:	NK-1XS, NK102, NK103, NK202X, NK202SF, NK301, NK302, NK303, NK305, NKM202, NKF202, NKF202CL, NKF202AF, NKF202AFL, NKM301, NKF301, NKF301C, NKF302, NKF601
	The second secon

The submitted products have been tested by us and found to be in compliance with the listed European Directives.

The test results apply only to the particular sample tested and to the specific tests carried out. Technical Report and documentation are at the Holder's disposal.

This certificate applies specifically to the sample investigated in our test reference number only. The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation. Other relevant Directives have to be observed.



C F Certification Manager Date: Jun. 13, 2016



#### Beide (UK) Product Service Limited

U.K.: Flat 107, 25 Indescon Square, London, United Kingdom China: 6F, Bldg E, Hourui 3rd Ind Zone, Xixiang, Bao'an Dist, Shenzhen, China Http://www.szbeide.com E-mail: admin@szbeide.com